

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1001A	day	6	60.0
	night	6	73.0
1003A	day	5	56.0
	night	6	78.5
1004A	day	6	61.0
	night	6	74.5
1005A	day	4	52.5
	night	5	66.0
1006A	day	6	64.0
	night	6	79.5
1007A	day	6	61.5
	night	6	76.5
1008A	day	6	55.5
	night	6	54.5
1009A	day	6	53.0
	night	6	51.0
1010A	day	6	63.5
	night	6	67.5
1011A	day	6	56.5
	night	6	69.0
1012A	day	6	68.5
	night	6	77.5
1015A	day	4	74.5
	night	6	82.5
1017A	day	6	62.5
	night	6	75.5
1018A	day	6	64.5
	night	6	82.5
1019A	day	5	67.0
	night	6	81.5
1021A	day	6	67.5
	night	6	78.5
1023A	day	6	64.0
	night	6	80.5
1024A	day	6	63.0
	night	6	80.5
1026A	day	6	79.5
	night	6	94.0
1027A	day	6	64.0
	night	6	83.0
1029A	day	6	49.5
	night	6	70.0
1030A	day	6	49.0
	night	6	76.5
1031A	day	6	52.5
	night	6	75.5
1032A	day	6	46.0
	night	6	70.5
1033A	day	6	52.5
	night	6	78.5
1034A	day	4	59.0
	night	6	76.5
1035A	day	6	47.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1035A	night	6	84.5
1037A	day	6	55.0
	night	6	52.0
1038A	day	6	59.0
	night	5	63.0
1040A	day	6	59.0
	night	6	61.0
1041A	day	6	62.5
	night	6	60.0
1042A	day	6	29.5
	night	6	54.0
1043A	day	6	30.5
	night	6	51.0
1044A	day	6	37.0
	night	6	60.0
1046A	day	4	45.0
	night	6	61.5
1048A	day	6	84.0
	night	6	101.0
1049A	day	6	73.5
	night	6	86.0
1050A	day	6	67.0
	night	6	85.5
1051A	day	6	60.5
	night	6	58.0
1052A	day	5	51.0
	night	6	51.5
1053A	day	6	49.5
	night	6	52.0
1054A	day	6	80.0
	night	6	72.5
1057A	day	5	64.0
	night	6	76.0
1059A	day	5	59.0
	night	6	67.5
1060A	day	6	57.0
	night	6	68.5
1061A	day	6	56.5
	night	6	68.0
1062A	day	6	45.0
	night	6	28.5
1063A	day	4	29.0
	night	6	28.5
1064A	day	6	47.0
	night	6	35.5
1065A	day	6	59.0
	night	6	38.5
1066A	day	6	31.5
	night	6	29.0
1067A	day	6	80.0
	night	6	81.0
1068A	day	6	64.0
	night	6	70.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1070A	day	6	70.0
	night	6	74.0
1071A	day	4	75.5
	night	6	125.5
1072A	day	6	66.5
	night	6	121.0
1073A	day	6	69.0
	night	6	120.5
1074A	day	4	63.5
	night	6	85.5
1075A	day	6	58.5
	night	6	85.0
1077A	day	4	73.5
	night	6	90.5
1078A	day	5	50.0
	night	6	85.0
1079A	day	5	78.0
	night	6	83.5
1080A	day	6	60.5
	night	6	89.5
1081A	day	6	53.5
	night	6	80.0
1084A	day	6	50.5
	night	6	81.0
1085A	day	4	52.0
	night	6	82.0
1086A	day	6	53.5
	night	6	83.0
1087A	day	6	52.0
	night	6	80.0
1088A	day	6	50.5
	night	6	89.5
1090A	day	6	41.0
	night	6	48.5
1091A	day	6	41.5
	night	6	28.0
1094A	day	5	26.0
	night	6	39.5
1095A	day	6	46.0
	night	6	28.5
1096A	day	6	44.0
	night	6	33.5
1097A	day	6	35.5
	night	6	58.5
1099A	day	6	36.0
	night	6	45.0
1100A	day	6	42.0
	night	6	40.5
1102A	day	6	41.0
	night	6	52.5
1103A	day	3	41.0
	night	6	45.0
1104A	day	6	38.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1104A	night	6	43.5
1105A	day	6	36.0
	night	6	41.5
1106A	day	3	43.0
	night	6	51.0
1108A	day	6	55.0
	night	6	51.0
1109A	day	6	32.0
	night	6	64.5
1110A	day	6	32.0
	night	6	64.0
1111A	day	6	31.0
	night	6	60.5
1112A	day	6	30.0
	night	6	67.0
1113A	day	4	30.5
	night	6	60.0
1114A	day	6	35.5
	night	6	57.5
1115A	day	5	30.0
	night	6	59.0
1116A	day	6	33.0
	night	6	58.5
1117A	day	6	38.5
	night	6	66.5
1118A	day	6	33.5
	night	6	67.5
1119A	day	6	30.0
	night	6	63.0
1120A	day	6	28.5
	night	6	48.5
1121A	day	6	28.5
	night	6	59.0
1122A	day	6	30.5
	night	6	54.0
1123A	day	5	31.0
	night	6	44.0
1124A	day	5	30.0
	night	6	44.5
1126A	day	6	29.5
	night	5	59.0
1127A	day	6	33.5
	night	5	59.0
1128A	day	6	32.0
	night	6	56.0
1129A	day	5	30.0
	night	6	50.0
1130A	day	6	33.5
	night	6	37.0
1131A	day	6	40.5
	night	6	45.0
1132A	day	6	35.5
	night	6	51.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1133A	day	6	39.5
	night	6	44.0
1134A	day	3	50.0
	night	5	40.0
1135A	day	6	32.5
	night	6	42.5
1136A	day	4	37.0
	night	6	35.5
1137A	day	6	38.5
	night	6	35.0
1138A	day	6	37.5
	night	6	48.0
1139A	day	6	42.5
	night	6	51.0
1140A	day	3	39.0
	night	6	59.0
1141A	day	6	75.0
	night	6	66.5
1142A	day	6	76.5
	night	6	64.5
1143A	day	6	73.5
	night	6	65.0
1144A	day	6	75.5
	night	6	67.0
1145A	day	6	81.0
	night	6	62.0
1147A	day	6	74.5
	night	6	64.0
1148A	day	6	71.5
	night	6	60.5
1149A	day	6	73.0
	night	6	61.5
1150A	day	6	79.5
	night	6	64.5
1151A	day	6	93.0
	night	6	53.0
1152A	day	6	96.0
	night	6	52.5
1153A	day	6	98.0
	night	6	54.0
1154A	day	4	100.0
	night	6	52.5
1155A	day	6	92.0
	night	6	54.5
1156A	day	5	93.0
	night	6	56.0
1157A	day	6	93.0
	night	6	52.5
1158A	day	6	92.5
	night	6	54.5
1159A	day	6	90.5
	night	6	53.0
1160A	day	6	63.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1160A	night	6	58.0
1162A	day	5	72.0
	night	6	76.0
1163A	day	6	63.5
	night	6	74.5
1164A	day	6	63.0
	night	6	70.5
1165A	day	6	58.0
	night	6	70.0
1166A	day	6	71.0
	night	6	76.5
1167A	day	6	66.0
	night	6	68.0
1168A	day	4	87.5
	night	6	75.0
1169A	day	6	82.0
	night	6	81.5
1170A	day	6	83.5
	night	6	76.5
1171A	day	4	80.0
	night	6	67.0
1172A	day	6	78.5
	night	6	71.0
1173A	day	6	89.0
	night	6	57.5
1177A	day	6	115.0
	night	6	91.5
1178A	day	5	109.0
	night	6	85.5
1180A	day	6	108.0
	night	6	93.0
1181A	day	6	113.0
	night	6	90.5
1182A	day	5	106.0
	night	6	95.0
1186A	day	6	92.5
	night	6	64.5
1188A	day	6	66.5
	night	6	64.0
1189A	day	6	83.0
	night	6	71.0
1190A	day	4	65.5
	night	4	68.5
1191A	day	5	62.0
	night	6	65.5
1192A	day	6	82.0
	night	6	70.0
1193A	day	6	75.0
	night	6	66.0
1194A	day	6	76.5
	night	6	69.5
1195A	day	6	87.5
	night	6	74.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1196A	day	6	71.5
	night	6	80.5
1200A	day	6	68.5
	night	6	73.5
1201A	day	6	72.0
	night	6	87.5
1203A	day	4	60.0
	night	6	69.5
1204A	day	6	72.0
	night	6	63.0
1205A	day	6	82.0
	night	6	72.0
1206A	day	6	89.0
	night	6	63.0
1207A	day	6	88.5
	night	6	60.5
1209A	day	6	73.0
	night	6	63.5
1210A	day	6	110.0
	night	6	52.5
1211A	day	5	133.0
	night	6	54.5
1212A	day	6	120.5
	night	6	55.0
1213A	day	6	118.5
	night	6	63.0
1214A	day	6	112.0
	night	6	61.0
1215A	day	6	113.0
	night	6	55.0
1216A	day	6	104.0
	night	5	57.0
1218A	day	5	124.0
	night	6	56.0
1220A	day	6	83.5
	night	6	70.0
1221A	day	6	76.0
	night	6	66.0
1223A	day	6	47.5
	night	6	63.0
1224A	day	3	58.0
	night	6	69.0
1226A	day	6	64.5
	night	6	79.5
1227A	day	6	46.0
	night	6	63.5
1228A	day	4	53.0
	night	6	68.5
1230A	day	6	53.0
	night	6	65.0
1231A	day	6	60.0
	night	6	79.5
1232A	day	6	49.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1232A	night	6	64.5
1233A	day	6	39.5
	night	6	61.0
1234A	day	6	70.5
	night	6	49.0
1235A	day	5	63.0
	night	6	50.0
1236A	day	6	62.5
	night	6	48.5
1239A	day	6	63.0
	night	6	43.0
1240A	day	6	61.0
	night	6	41.5
1241A	day	6	61.0
	night	6	46.0
1242A	day	6	33.0
	night	6	54.0
1243A	day	5	33.0
	night	6	54.5
1244A	day	6	34.5
	night	6	51.0
1245A	day	6	32.5
	night	5	51.0
1247A	day	6	55.5
	night	4	60.5
1250A	day	6	61.5
	night	6	70.0
1252A	day	6	66.0
	night	6	63.0
1253A	day	5	67.0
	night	6	71.0
1255A	day	4	33.0
	night	6	40.0
1256A	day	6	43.5
	night	6	52.5
1257A	day	6	45.5
	night	6	45.5
1258A	day	6	60.5
	night	6	41.5
1259A	day	5	61.0
	night	6	38.5
1260A	day	5	60.0
	night	6	30.5
1262A	day	5	36.0
	night	6	61.0
1263A	day	6	33.5
	night	6	51.0
1264A	day	5	32.0
	night	6	57.5
1265A	day	6	29.5
	night	6	60.5
1266A	day	6	28.0
	night	6	59.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1267A	day	6	31.0
	night	6	23.5
1268A	day	6	30.5
	night	6	32.0
1269A	day	6	29.0
	night	6	30.5
1270A	day	6	106.0
	night	6	58.0
1271A	day	6	107.0
	night	6	58.0
1272A	day	6	105.0
	night	6	55.0
1273A	day	5	108.0
	night	6	56.5
1274A	day	5	106.0
	night	6	54.5
1275A	day	6	114.5
	night	6	57.5
1276A	day	6	113.0
	night	6	68.5
1277A	day	6	110.5
	night	6	64.0
1278A	day	6	114.5
	night	6	63.5
1279A	day	6	113.0
	night	6	57.0
1282A	day	6	41.5
	night	6	44.5
1283A	day	6	38.5
	night	6	37.0
1284A	day	6	38.0
	night	6	42.0
1285A	day	5	40.0
	night	6	43.5
1287A	day	6	63.5
	night	6	56.0
1288A	day	6	50.0
	night	6	54.0
1290A	day	6	59.0
	night	6	40.0
1291A	day	6	57.0
	night	6	36.5
1292A	day	4	70.0
	night	6	31.5
1294A	day	6	52.5
	night	6	52.0
1295A	day	6	53.5
	night	6	49.0
1296A	day	6	38.0
	night	6	14.5
1298A	day	6	58.5
	night	6	45.5
1299A	day	6	78.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1299A	night	6	117.5
1300A	day	6	73.0
	night	6	127.0
1301A	day	5	70.0
	night	6	120.0
1303A	day	6	86.5
	night	6	121.0
1304A	day	6	86.0
	night	6	131.0
1305A	day	5	78.0
	night	6	119.5
1306A	day	6	83.0
	night	6	127.5
1307A	day	6	63.5
	night	6	97.0
1310A	day	5	65.0
	night	6	76.5
1311A	day	6	58.0
	night	6	68.0
1312A	day	6	58.0
	night	6	74.0
1313A	day	6	69.0
	night	6	79.5
1314A	day	5	48.0
	night	6	67.0
1315A	day	6	48.0
	night	6	72.0
1316A	day	6	76.5
	night	6	125.5
1317A	day	3	74.0
	night	6	137.5
1318A	day	6	68.0
	night	6	122.0
1319A	day	6	64.5
	night	6	121.5
1320A	day	6	61.5
	night	6	117.5
1321A	day	6	63.0
	night	6	120.5
1322A	day	4	66.5
	night	6	135.5
1323A	day	6	76.0
	night	6	126.5
1325A	day	6	51.0
	night	6	39.0
1326A	day	6	73.5
	night	6	59.5
1327A	day	5	58.0
	night	6	55.5
1328A	day	6	66.5
	night	6	51.5
1329A	day	6	79.0
	night	6	58.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1330A	day	5	75.0
	night	6	57.0
1331A	day	3	50.0
	night	6	54.5
1333A	day	5	75.0
	night	6	60.0
1334A	day	6	48.0
	night	6	47.0
1335A	day	6	55.0
	night	6	53.0
1336A	day	6	55.5
	night	6	52.5
1337A	day	6	54.0
	night	6	55.5
1338A	day	6	62.0
	night	6	54.5
1339A	day	6	58.5
	night	6	54.0
1340A	day	4	61.5
	night	6	70.5
1341A	day	6	59.0
	night	6	53.0
1342A	day	6	69.0
	night	6	52.0
1343A	day	4	54.5
	night	6	53.0
1344A	day	6	35.5
	night	6	39.0
1345A	day	6	24.0
	night	6	29.5
1346A	day	6	26.0
	night	6	30.0
1348A	day	6	24.0
	night	6	27.0
1349A	day	6	23.5
	night	6	32.5
1350A	day	6	24.5
	night	6	38.5
1351A	day	6	23.0
	night	6	22.0
1352A	day	5	26.0
	night	6	26.0
1353A	day	6	25.5
	night	6	21.0
1354A	day	6	27.0
	night	6	28.0
1355A	day	6	29.0
	night	6	20.5
1356A	day	6	31.0
	night	5	33.0
1357A	day	6	30.0
	night	4	34.5
1358A	day	6	32.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1358A	night	6	30.5
1359A	day	6	31.0
	night	6	40.0
1360A	day	6	27.5
	night	6	32.0
1361A	day	5	32.0
	night	6	33.5
1363A	day	6	27.5
	night	6	26.0
1364A	day	6	28.0
	night	6	37.0
1365A	day	5	29.0
	night	6	34.5
1366A	day	6	28.5
	night	6	47.0
1367A	day	6	31.0
	night	6	36.0
1368A	day	6	23.0
	night	6	32.0
1369A	day	6	30.0
	night	6	37.0
1370A	day	6	22.5
	night	5	37.0
1371A	day	6	29.0
	night	6	35.0
1372A	day	4	31.5
	night	6	36.5
1373A	day	5	28.0
	night	5	39.0
1374A	day	6	22.5
	night	6	42.5
1376A	day	6	25.0
	night	6	36.5
1377A	day	6	26.0
	night	6	29.0
1378A	day	6	27.0
	night	6	34.5
1379A	day	4	24.0
	night	6	25.5
1380A	day	4	30.5
	night	5	42.0
1381A	day	6	23.5
	night	6	39.0
1383A	day	6	30.0
	night	6	36.0
1384A	day	6	27.0
	night	6	37.0
1385A	day	5	33.0
	night	5	40.0
1386A	day	6	22.0
	night	6	28.0
1389A	day	6	27.0
	night	6	29.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1390A	day	5	30.0
	night	6	28.0
1391A	day	6	25.0
	night	6	26.5
1392A	day	6	27.0
	night	6	40.0
1393A	day	5	31.0
	night	6	36.5
1394A	day	5	30.0
	night	5	42.0
1395A	day	6	26.0
	night	6	38.5
1396A	day	6	26.5
	night	6	43.5
1397A	day	6	24.5
	night	6	20.0
1398A	day	5	23.0
	night	6	24.5
1399A	day	6	23.0
	night	6	21.0
1401A	day	6	29.5
	night	6	19.0
1402A	day	4	28.5
	night	6	27.5
1403A	day	6	26.5
	night	5	21.0
1404A	day	6	27.5
	night	6	17.0
1405A	day	5	30.0
	night	4	21.5
1406A	day	6	29.5
	night	6	20.5
1407A	day	6	28.5
	night	6	15.0
1408A	day	6	28.0
	night	6	31.0
1410A	day	6	34.0
	night	6	25.0
1411A	day	6	28.0
	night	6	23.5
1412A	day	6	28.0
	night	6	24.0
1413A	day	6	30.0
	night	6	24.5
1414A	day	6	31.5
	night	6	29.0
1416A	day	6	47.5
	night	6	43.0
1417A	day	6	47.5
	night	6	37.5
1418A	day	6	51.5
	night	6	38.0
1419A	day	6	50.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1419A	night	6	56.5
1420A	day	6	33.5
	night	6	31.5
1421A	day	6	47.5
	night	6	42.0
1422A	day	6	51.5
	night	6	40.5
1425A	day	6	41.5
	night	6	41.5
1426A	day	4	55.5
	night	6	54.0
1427A	day	6	47.0
	night	6	36.0
1428A	day	5	43.0
	night	6	36.0
1429A	day	6	45.0
	night	6	42.5
1431A	day	6	52.5
	night	6	46.0
1432A	day	6	57.0
	night	6	53.5
1433A	day	6	56.0
	night	6	49.5
1434A	day	6	54.0
	night	6	56.5
1437A	day	5	57.0
	night	6	43.0
1438A	day	4	53.0
	night	6	37.0
1439A	day	5	48.0
	night	6	22.0
1440A	day	6	74.5
	night	6	23.5
1441A	day	6	62.5
	night	6	22.5
1442A	day	6	48.0
	night	6	23.5
1443A	day	6	48.0
	night	6	24.0
1444A	day	6	48.0
	night	5	22.0
1445A	day	4	66.0
	night	6	22.0
1446A	day	6	53.0
	night	6	22.0
1447A	day	4	53.5
	night	6	23.0
1450A	day	6	54.0
	night	6	56.0
1451A	day	6	45.0
	night	6	47.0
1452A	day	6	49.5
	night	6	44.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1453A	day	5	63.0
	night	6	48.0
1454A	day	6	51.5
	night	6	53.5
1455A	day	6	57.5
	night	6	53.5
1456A	day	6	37.0
	night	6	35.5
1457A	day	6	36.5
	night	6	36.0
1458A	day	6	36.5
	night	6	36.0
1459A	day	5	36.0
	night	6	36.5
1460A	day	5	36.0
	night	6	43.5
1461A	day	6	36.0
	night	6	35.5
1462A	day	6	140.5
	night	5	143.0
1463A	day	6	130.0
	night	6	132.0
1464A	day	6	128.5
	night	6	151.5
1465A	day	6	123.0
	night	6	114.0
1466A	day	6	138.5
	night	6	138.5
1467A	day	6	127.5
	night	6	124.0
1468A	day	6	138.5
	night	6	160.0
1469A	day	6	146.0
	night	6	134.0
1471A	day	6	134.0
	night	6	129.0
1472A	day	6	136.5
	night	6	142.5
1473A	day	5	140.0
	night	6	125.5
1474A	day	6	131.5
	night	6	140.5
1476A	day	4	94.5
	night	6	81.5
1478A	day	6	97.0
	night	6	91.5
1479A	day	6	98.5
	night	6	88.0
1484A	day	4	52.0
	night	6	44.5
1488A	day	6	45.0
	night	6	60.5
1489A	day	5	40.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1489A	night	6	60.0
1490A	day	6	62.5
	night	6	55.5
1491A	day	6	73.5
	night	6	65.0
1492A	day	6	52.5
	night	6	55.0
1493A	day	6	61.0
	night	5	57.0
1494A	day	6	62.5
	night	5	55.0
1496A	day	6	40.5
	night	6	52.5
1508A	day	6	54.5
	night	6	51.5
1511A	day	3	49.0
	night	5	49.0
1512A	day	6	58.5
	night	6	52.5
1513A	day	6	59.5
	night	6	45.5
1514A	day	5	56.0
	night	6	49.5
1515A	day	6	58.5
	night	6	55.5
1518A	day	6	55.5
	night	6	52.5
1519A	day	6	56.5
	night	6	56.5
1520A	day	6	58.0
	night	5	56.0
1524A	day	6	61.0
	night	6	57.0
1559A	day	6	47.0
	night	6	50.5
1562A	day	6	59.5
	night	6	52.0
1564A	day	6	54.0
	night	6	46.0
1585A	day	5	38.0
	night	6	53.0
1587A	day	6	46.5
	night	6	51.5
1588A	day	6	35.0
	night	6	32.0
1589A	day	6	44.0
	night	6	49.0
1590A	day	6	45.0
	night	6	50.0
1591A	night	6	46.5
1592A	day	5	39.0
	night	6	51.0
1593A	day	6	31.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1593A	night	6	58.0
1594A	day	6	30.5
	night	6	60.0
1595A	day	6	42.5
	night	6	59.0
1597A	day	4	46.5
	night	6	61.0
1598A	day	5	29.0
	night	5	52.0
1599A	day	6	34.5
	night	6	55.5
1600A	day	6	40.5
	night	6	56.0
1601A	day	6	35.5
	night	6	54.5
1602A	day	4	28.0
	night	6	55.5
1603A	day	6	41.5
	night	6	53.5
1604A	day	6	31.0
	night	6	31.0
1605A	day	5	26.0
	night	6	29.5
1606A	day	6	28.5
	night	6	34.5
1607A	day	5	28.0
	night	6	34.0
1608A	day	4	29.0
	night	4	31.5
1609A	day	6	29.0
	night	6	26.5
1610A	day	6	29.0
	night	6	26.5
1611A	day	5	59.0
	night	6	43.0
1612A	day	6	52.0
	night	6	44.5
1613A	day	6	52.0
	night	6	48.0
1616A	day	4	67.5
	night	6	96.5
1618A	day	6	90.0
	night	6	71.0
1619A	day	6	94.0
	night	6	74.5
1620A	day	6	88.5
	night	6	68.5
1621A	day	6	76.5
	night	6	63.5
1622A	day	6	78.0
	night	6	112.5
1624A	day	3	79.0
	night	6	124.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1625A	day	5	73.0
	night	6	105.5
1629A	day	4	68.5
	night	6	151.5
1630A	day	6	61.0
	night	6	133.0
1631A	day	6	59.0
	night	6	129.5
1633A	day	6	53.5
	night	6	104.0
1634A	day	4	58.5
	night	6	111.0
1635A	day	6	59.5
	night	6	104.5
1637A	day	6	114.0
	night	6	86.5
1638A	day	6	106.5
	night	6	80.5
1639A	day	6	104.0
	night	6	82.0
1640A	day	6	98.0
	night	6	73.5
1641A	day	6	89.0
	night	6	77.0
1642A	day	6	40.0
	night	6	78.0
1643A	day	6	43.5
	night	6	83.0
1644A	day	6	47.0
	night	6	82.5
1645A	day	6	39.5
	night	5	81.0
1646A	day	6	36.0
	night	6	83.5
1650A	day	6	49.5
	night	6	88.0
1653A	day	6	76.5
	night	6	78.0
1655A	day	6	96.0
	night	6	99.5
1656A	day	6	68.5
	night	6	92.5
1657A	day	6	69.0
	night	6	79.5
1658A	day	6	68.0
	night	6	72.5
1659A	day	6	72.0
	night	6	74.0
1660A	day	6	78.5
	night	6	76.5
1661A	day	4	87.0
	night	6	83.0
1662A	day	6	30.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1662A	night	6	67.5
1663A	day	6	31.5
	night	6	71.0
1664A	day	6	39.0
	night	6	78.5
1666A	day	6	56.0
	night	6	84.0
1669A	day	4	20.0
	night	4	16.5
1671A	day	6	26.0
	night	5	17.0
1672A	day	6	29.5
	night	6	16.5
1673A	day	6	27.5
	night	6	19.0
1674A	day	6	54.5
	night	6	46.0
1675A	day	6	53.0
	night	6	50.5
1676A	day	6	52.0
	night	6	48.5
1677A	day	6	58.0
	night	6	56.5
1678A	day	6	55.5
	night	6	51.5
1680A	day	6	30.0
	night	6	34.5
1681A	day	4	22.5
	night	6	31.0
1682A	day	6	19.5
	night	6	36.5
1683A	day	6	18.0
	night	6	29.5
1684A	day	6	25.5
	night	6	34.5
1685A	day	5	22.0
	night	6	33.5
1686A	day	4	41.0
	night	6	40.0
1687A	day	6	25.0
	night	6	34.0
1688A	day	6	23.0
	night	6	33.0
1689A	day	6	28.0
	night	5	39.0
1690A	day	6	32.5
	night	6	17.0
1691A	day	4	33.0
	night	6	21.0
1692A	day	6	31.0
	night	5	29.0
1693A	day	6	27.0
	night	6	55.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1694A	day	6	27.5
	night	6	52.5
1695A	day	6	28.0
	night	6	54.0
1696A	day	5	29.0
	night	6	29.5
1697A	day	4	35.0
	night	5	47.0
1698A	day	6	28.5
	night	6	28.0
1699A	day	5	22.0
	night	6	30.0
1701A	day	6	24.0
	night	6	40.5
1702A	day	6	25.5
	night	6	14.0
1703A	day	6	27.0
	night	6	15.5
1705A	day	4	77.0
	night	6	71.5
1708A	day	6	34.0
	night	6	74.5
1709A	day	5	34.0
	night	6	81.0
1710A	day	6	40.0
	night	6	75.0
1711A	day	6	39.0
	night	6	63.5
1712A	day	6	20.0
	night	6	18.0
1714A	day	4	30.5
	night	6	26.5
1715A	day	5	58.0
	night	6	52.5
1718A	day	6	117.5
	night	6	117.5
1719A	day	6	118.5
	night	6	113.5
1723A	day	6	45.5
	night	6	43.5
1724A	day	6	46.0
	night	6	48.5
1725A	day	6	49.0
	night	6	47.5
1726A	day	5	54.0
	night	6	40.5
1727A	day	6	40.0
	night	6	71.0
1728A	day	5	51.0
	night	6	63.0
1730A	day	4	43.0
	night	6	61.5
1731A	day	4	53.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1731A	night	6	65.5
1733A	day	6	58.5
	night	6	89.5
1734A	day	6	58.0
	night	6	85.5
1736A	day	3	62.0
	night	6	85.5
1738A	day	6	55.5
	night	6	93.5
1739A	day	6	59.5
	night	6	98.0
1740A	day	2	65.5
	night	6	91.0
1742A	day	6	63.0
	night	6	86.5
1743A	day	3	53.0
	night	6	79.0
1744A	day	6	40.0
	night	6	25.0
1745A	day	6	36.5
	night	6	24.5
1746A	day	6	34.0
	night	6	22.0
1748A	day	6	29.0
	night	6	57.5
1749A	day	6	33.5
	night	6	60.0
1750A	day	6	29.5
	night	6	58.5
1751A	day	6	39.5
	night	6	66.0
1752A	day	6	40.0
	night	6	64.0
1753A	day	6	38.0
	night	6	59.5
1755A	day	6	55.0
	night	6	52.5
1756A	day	5	54.0
	night	6	57.5
1757A	day	4	53.0
	night	6	67.5
1758A	day	6	49.0
	night	6	65.0
1759A	day	6	47.0
	night	6	65.5
1760A	day	6	60.0
	night	6	55.5
1761A	day	6	68.5
	night	6	51.5
1762A	day	5	46.0
	night	6	48.5
1763A	day	6	36.5
	night	6	36.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1764A	day	6	47.0
	night	6	55.5
1765A	day	6	48.0
	night	6	61.0
1766A	day	5	42.0
	night	6	62.5
1767A	day	6	29.0
	night	5	26.0
1768A	day	6	29.5
	night	6	42.5
1769A	day	6	30.0
	night	6	33.0
1770A	day	5	27.0
	night	6	27.0
1771A	day	5	26.0
	night	6	43.0
1772A	day	6	30.5
	night	6	47.0
1773A	day	6	31.5
	night	6	45.5
1774A	day	5	32.0
	night	6	45.5
1775A	day	6	32.0
	night	6	55.5
1776A	day	6	30.5
	night	6	37.5
1779A	day	6	29.0
	night	5	43.0
1780A	day	6	29.5
	night	6	39.5
1781A	day	6	27.5
	night	6	45.0
1783A	day	6	28.0
	night	6	51.0
1784A	day	6	31.5
	night	6	50.0
1785A	day	6	39.0
	night	6	55.0
1786A	day	6	34.5
	night	6	51.0
1787A	day	6	45.5
	night	6	48.5
1788A	day	5	31.0
	night	6	45.0
1789A	day	4	35.0
	night	6	39.0
1790A	day	6	37.0
	night	6	39.5
1791A	day	5	37.0
	night	6	38.5
1792A	day	6	31.5
	night	6	37.0
1793A	day	6	40.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1793A	night	6	35.0
1794A	day	6	91.5
	night	6	72.0
1795A	day	6	86.5
	night	6	74.5
1796A	day	6	80.0
	night	6	66.0
1798A	day	6	94.0
	night	6	60.5
1799A	day	6	75.0
	night	6	62.0
1800A	day	6	86.5
	night	6	65.5
1802A	day	6	106.0
	night	6	58.5
1803A	day	3	94.0
	night	6	58.0
1804A	day	6	57.5
	night	6	56.5
1805A	day	5	55.0
	night	4	57.5
1806A	day	5	64.0
	night	6	65.5
1808A	day	6	61.5
	night	6	69.5
1809A	day	6	63.5
	night	6	65.0
1810A	day	6	74.5
	night	6	39.0
1812A	day	4	98.0
	night	6	125.0
1814A	day	6	93.5
	night	6	150.0
1815A	day	6	83.5
	night	6	148.0
1816A	day	4	88.0
	night	6	128.0
1817A	day	6	83.5
	night	6	132.5
1819A	day	6	86.5
	night	6	92.0
1820A	day	6	88.5
	night	6	94.0
1824A	day	3	124.0
	night	4	147.0
1826A	day	6	68.0
	night	6	112.5
1828A	day	6	59.5
	night	6	95.5
1832A	day	6	102.0
	night	6	117.5
1833A	day	6	95.0
	night	6	107.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1834A	day	6	97.5
	night	6	111.5
1835A	day	6	117.0
	night	6	141.5
1836A	day	6	129.0
	night	6	149.0
1840A	day	6	117.0
	night	6	31.0
1841A	day	6	77.0
	night	6	31.5
1842A	day	6	73.5
	night	6	29.0
1843A	day	5	116.0
	night	6	30.0
1844A	day	5	102.0
	night	4	69.0
1845A	day	6	81.5
	night	6	55.0
1847A	day	6	42.0
	night	6	37.0
1848A	day	4	40.5
	night	6	40.0
1849A	day	6	56.5
	night	6	40.0
1850A	day	6	42.5
	night	6	39.5
1851A	day	6	37.5
	night	6	47.5
1852A	day	6	45.0
	night	6	44.5
1854A	day	6	55.5
	night	6	38.5
1857A	day	6	65.0
	night	6	44.0
1858A	day	4	98.5
	night	6	40.5
1859A	day	6	73.0
	night	6	35.5
1860A	day	6	111.0
	night	6	27.0
1861A	day	6	108.0
	night	5	44.0
1862A	day	2	59.0
	night	6	44.0
1863A	day	6	54.5
	night	6	22.0
1864A	day	6	46.0
	night	6	22.0
1865A	day	4	30.0
	night	6	22.0
1867A	day	6	25.5
	night	6	27.5
1868A	day	6	27.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1868A	night	6	30.0
1869A	day	4	29.0
	night	6	32.5
1870A	day	4	22.5
	night	6	17.5
1871A	day	5	28.0
	night	4	18.0
1872A	day	6	42.5
	night	6	24.5
1873A	day	6	36.5
	night	6	19.0
1874A	day	6	39.0
	night	6	18.5
1875A	day	6	41.0
	night	6	17.5
1876A	day	6	28.0
	night	6	23.0
1877A	day	3	30.0
	night	6	23.5
1878A	day	6	62.0
	night	6	57.5
1879A	day	6	69.5
	night	6	65.0
1880A	day	5	71.0
	night	6	66.0
1881A	day	4	67.5
	night	6	62.0
1883A	day	5	60.0
	night	6	59.0
1884A	day	6	59.5
	night	6	61.0
1885A	day	6	61.5
	night	6	53.5
1886A	day	6	58.0
	night	6	53.5
1888A	day	6	51.5
	night	6	58.5
1889A	day	6	56.5
	night	6	53.5
1890A	day	6	50.5
	night	6	58.0
1891A	day	6	55.0
	night	6	46.0
1893A	day	6	47.5
	night	6	38.5
1894A	day	5	45.0
	night	6	43.5
1895A	day	6	54.5
	night	6	42.5
1896A	day	6	52.0
	night	5	45.0
1901A	day	6	57.0
	night	6	56.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1902A	day	5	63.0
	night	6	58.0
1904A	day	6	59.0
	night	6	54.0
1905A	day	6	30.5
	night	6	24.0
1906A	day	6	43.0
	night	6	37.5
1907A	day	6	50.5
	night	6	42.5
1908A	day	6	39.0
	night	5	42.0
1909A	day	5	51.0
	night	6	30.0
1910A	day	6	52.5
	night	6	37.0
1911A	day	6	37.0
	night	6	21.5
1912A	day	6	28.5
	night	6	27.0
1913A	day	4	53.5
	night	6	25.0
1914A	day	6	36.5
	night	6	27.0
1915A	day	6	26.5
	night	6	31.0
1916A	day	6	38.5
	night	6	50.0
1917A	day	6	39.0
	night	6	45.0
1919A	day	6	147.5
	night	6	143.5
1920A	day	6	151.5
	night	6	153.5
1923A	day	6	136.0
	night	6	135.5
1924A	day	6	135.5
	night	6	128.0
1926A	day	6	64.5
	night	6	98.5
1927A	day	6	75.5
	night	6	108.0
1929A	day	4	92.0
	night	6	112.0
1930A	day	5	121.0
	night	6	108.5
1931A	day	6	122.0
	night	6	93.0
1932A	day	6	131.0
	night	6	96.5
1933A	day	6	119.0
	night	6	79.0
1934A	day	5	116.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
1934A	night	6	85.5
1935A	day	6	122.0
	night	6	100.5
1936A	day	6	125.0
	night	6	90.0
1937A	day	6	128.5
	night	6	93.0
1939A	day	5	130.0
	night	6	159.0
1940A	day	6	123.0
	night	6	181.0
1941A	day	6	120.0
	night	6	162.0
1944A	day	5	57.0
	night	6	62.5
1945A	day	2	76.0
	night	6	68.0
1947A	day	6	40.5
	night	6	58.0
1948A	day	5	61.0
	night	4	53.5
1949A	day	6	54.5
	night	6	57.5
1950A	day	6	56.5
	night	6	62.0
1951A	day	6	30.5
	night	6	26.5
1952A	day	6	28.0
	night	6	28.0
1954A	day	5	52.0
	night	6	43.0
1955A	day	6	33.0
	night	6	27.0
1961A	day	6	68.5
	night	6	100.0
1966A	day	6	58.5
	night	6	75.0
1982A	day	6	42.0
	night	6	62.5
2031A	day	6	48.5
	night	6	54.0
2054A	day	6	120.0
	night	6	63.0
2064A	day	6	108.0
	night	6	63.5
2065A	day	6	109.5
	night	6	59.0
2066A	day	3	102.0
	night	5	53.0
2067A	day	6	123.5
	night	6	108.0
2068A	day	5	129.0
	night	6	93.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2069A	day	6	117.5
	night	6	99.0
2070A	day	6	115.0
	night	6	98.0
2160A	day	6	51.0
	night	6	80.5
2161A	day	5	66.0
	night	6	78.5
2162A	day	6	57.0
	night	6	86.5
2163A	day	6	53.0
	night	6	91.0
2166A	day	6	45.5
	night	6	64.0
2167A	day	6	54.5
	night	6	73.0
2168A	day	5	54.0
	night	6	66.0
2169A	day	6	51.0
	night	6	60.0
2170A	day	5	57.0
	night	6	67.5
2171A	day	6	64.0
	night	6	89.5
2173A	day	4	64.0
	night	6	83.5
2174A	day	4	43.0
	night	6	70.5
2175A	day	6	95.0
	night	6	118.0
2178A	day	6	110.5
	night	6	136.0
2179A	day	6	123.0
	night	6	152.5
2181A	day	5	54.0
	night	6	85.5
2182A	day	6	48.5
	night	6	84.5
2183A	day	6	54.0
	night	6	78.0
2185A	day	5	43.0
	night	6	79.5
2187A	day	6	43.0
	night	6	42.5
2188A	day	4	33.0
	night	6	49.5
2191A	day	5	36.0
	night	6	47.0
2192A	day	6	32.5
	night	6	38.5
2195A	day	6	46.0
	night	6	50.0
2196A	day	5	38.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2196A	night	6	50.5
2197A	day	6	36.5
	night	6	25.0
2200A	day	6	32.0
	night	6	31.5
2201A	day	6	33.5
	night	6	34.5
2202A	day	6	26.5
	night	6	24.0
2203A	day	6	28.0
	night	6	24.5
2204A	day	6	34.0
	night	6	27.0
2205A	day	6	36.5
	night	6	27.0
2206A	day	3	38.0
	night	6	32.5
2207A	day	4	28.5
	night	6	26.5
2208A	day	6	28.5
	night	6	25.0
2209A	day	6	29.5
	night	4	29.0
2210A	day	5	28.0
	night	6	24.5
2211A	day	4	26.0
	night	6	23.5
2212A	day	4	45.5
	night	6	59.0
2213A	day	6	42.0
	night	6	60.5
2214A	day	6	35.0
	night	6	54.0
2215A	day	6	29.0
	night	6	40.0
2216A	day	6	43.0
	night	6	185.0
2217A	day	6	46.5
	night	6	165.5
2218A	day	6	46.5
	night	6	143.5
2219A	day	6	44.0
	night	6	151.0
2220A	day	6	30.0
	night	6	26.5
2221A	day	5	28.0
	night	6	26.0
2222A	day	6	25.5
	night	6	25.5
2223A	day	6	29.0
	night	6	26.5
2225A	day	6	43.0
	night	6	48.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2226A	day	4	32.5
	night	6	51.5
2227A	day	5	40.0
	night	6	36.5
2229A	day	6	30.0
	night	6	42.5
2230A	day	5	30.0
	night	6	35.5
2231A	day	5	30.0
	night	6	63.0
2232A	day	6	39.0
	night	6	64.0
2233A	day	6	32.5
	night	6	45.5
2234A	day	6	31.5
	night	6	51.0
2235A	day	4	47.0
	night	6	70.5
2236A	day	6	40.5
	night	6	44.0
2240A	day	6	26.0
	night	6	51.0
2243A	day	6	29.0
	night	6	35.5
2244A	day	6	27.0
	night	6	32.0
2245A	day	6	28.0
	night	6	31.0
2246A	day	6	46.0
	night	4	45.5
2247A	day	3	30.0
	night	6	32.0
2248A	day	6	42.5
	night	6	66.5
2249A	day	6	38.0
	night	6	31.5
2250A	day	6	32.5
	night	6	50.5
2251A	day	6	35.0
	night	6	33.5
2252A	day	6	27.0
	night	6	23.5
2253A	day	5	26.0
	night	6	28.5
2254A	day	6	31.0
	night	6	21.5
2255A	day	6	32.0
	night	6	42.0
2256A	day	6	47.5
	night	6	32.5
2257A	day	6	30.0
	night	6	37.5
2258A	day	6	28.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2258A	night	6	37.5
2259A	day	6	33.5
	night	6	27.0
2262A	day	6	33.5
	night	5	25.0
2263A	day	4	27.5
	night	6	25.5
2264A	day	6	31.0
	night	6	30.0
2266A	day	6	31.5
	night	6	29.0
2267A	day	6	35.0
	night	6	31.5
2269A	day	6	26.0
	night	6	30.0
2270A	day	6	100.0
	night	6	64.0
2271A	day	6	111.5
	night	6	63.5
2273A	day	6	108.5
	night	6	57.5
2274A	day	6	110.0
	night	6	68.0
2275A	day	6	110.5
	night	6	56.0
2277A	day	6	130.0
	night	6	73.5
2278A	day	6	114.5
	night	6	73.5
2279A	day	6	111.0
	night	6	64.0
2280A	day	6	113.0
	night	6	65.5
2281A	day	6	88.5
	night	6	57.0
2282A	day	6	98.0
	night	6	81.0
2283A	day	6	112.5
	night	6	82.5
2285A	day	6	81.5
	night	6	88.5
2286A	day	4	108.5
	night	6	71.0
2287A	day	6	72.0
	night	6	71.5
2288A	day	6	81.5
	night	6	73.5
2289A	day	6	75.5
	night	6	69.5
2290A	day	6	85.5
	night	6	78.0
2291A	day	6	77.0
	night	6	65.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2292A	day	6	73.5
	night	6	63.5
2294A	day	6	76.0
	night	6	64.5
2295A	day	6	44.5
	night	6	41.0
2296A	day	6	55.0
	night	6	37.0
2297A	day	4	113.5
	night	6	56.0
2298A	day	6	96.0
	night	6	48.0
2299A	day	5	104.0
	night	6	52.5
2301A	day	6	101.5
	night	6	66.0
2303A	day	6	130.0
	night	6	76.0
2307A	day	6	108.5
	night	6	59.5
2308A	day	6	113.5
	night	6	56.0
2309A	day	6	97.0
	night	6	56.0
2310A	day	6	125.0
	night	6	65.0
2311A	day	6	129.5
	night	6	96.0
2312A	day	6	115.5
	night	6	89.5
2314A	day	4	64.5
	night	6	54.5
2316A	day	4	55.5
	night	6	54.0
2317A	day	6	64.5
	night	6	52.0
2318A	day	6	61.5
	night	6	53.0
2319A	day	6	46.0
	night	6	41.0
2320A	day	6	46.0
	night	6	36.0
2321A	day	6	45.5
	night	6	42.0
2322A	day	5	43.0
	night	6	38.0
2324A	day	6	29.0
	night	6	17.0
2325A	day	6	28.5
	night	6	16.5
2326A	day	6	28.0
	night	6	15.0
2332A	day	3	32.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2332A	night	6	31.0
2333A	day	6	33.0
	night	6	31.0
2334A	day	6	30.5
	night	6	27.5
2336A	day	5	32.0
	night	6	16.0
2337A	day	6	31.0
	night	6	16.5
2338A	day	6	32.0
	night	6	16.5
2341A	day	4	48.0
	night	6	34.5
2342A	day	4	37.5
	night	6	31.0
2343A	day	6	58.5
	night	6	38.0
2344A	day	6	61.0
	night	6	51.0
2345A	day	6	59.0
	night	6	37.5
2346A	day	6	55.0
	night	6	33.5
2347A	day	6	38.0
	night	6	17.5
2348A	day	6	64.5
	night	6	57.5
2349A	day	6	62.0
	night	6	60.5
2350A	day	4	62.5
	night	6	61.5
2351A	day	5	58.0
	night	6	59.5
2353A	day	5	41.0
	night	6	26.5
2354A	day	6	45.0
	night	6	24.0
2355A	day	6	55.5
	night	6	23.0
2358A	day	6	55.0
	night	6	53.5
2359A	day	6	55.0
	night	6	54.5
2360A	day	6	54.0
	night	6	55.5
2361A	day	4	61.0
	night	6	63.0
2363A	day	6	41.5
	night	6	16.5
2364A	day	6	36.0
	night	6	22.5
2365A	day	1	16.0
	night	6	15.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2366A	day	6	37.0
	night	6	13.5
2367A	day	6	44.5
	night	6	32.0
2368A	day	6	36.0
	night	6	29.5
2369A	day	4	35.5
	night	6	29.5
2370A	day	6	40.5
	night	6	25.0
2373A	day	6	52.0
	night	6	51.5
2374A	day	6	50.5
	night	6	37.5
2375A	day	4	52.5
	night	6	40.5
2376A	day	6	46.5
	night	6	40.0
2377A	day	6	54.0
	night	6	50.5
2378A	day	4	52.5
	night	6	52.0
2379A	day	6	52.0
	night	6	49.0
2380A	day	6	52.0
	night	6	51.0
2382A	day	5	49.0
	night	4	37.5
2383A	day	6	47.0
	night	6	45.5
2385A	day	6	67.0
	night	6	115.0
2386A	day	6	76.5
	night	6	94.0
2387A	day	6	77.0
	night	6	95.5
2389A	day	6	54.0
	night	6	85.5
2390A	day	6	63.5
	night	6	99.5
2391A	day	6	68.5
	night	6	93.5
2392A	day	5	77.0
	night	6	87.5
2394A	day	6	82.5
	night	6	93.5
2395A	day	6	85.5
	night	6	96.0
2396A	day	6	87.5
	night	6	98.5
2398A	day	6	85.0
	night	6	97.0
2399A	day	4	129.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2399A	night	6	83.5
2400A	day	6	108.0
	night	6	84.5
2401A	day	6	109.5
	night	6	82.0
2402A	day	6	109.5
	night	6	79.0
2404A	day	6	128.0
	night	6	54.5
2405A	day	6	138.0
	night	6	63.5
2406A	day	6	134.0
	night	6	48.5
2407A	day	6	127.0
	night	6	51.5
2408A	day	6	106.0
	night	6	89.0
2409A	day	6	106.0
	night	6	89.5
2410A	day	6	111.5
	night	6	92.0
2420A	day	6	110.0
	night	5	51.0
2421A	day	6	114.5
	night	6	65.5
2422A	day	6	106.5
	night	6	73.5
2423A	day	5	59.0
	night	5	59.0
2424A	day	6	73.5
	night	6	62.0
2426A	day	6	70.5
	night	6	50.0
2427A	day	6	65.5
	night	6	64.5
2429A	day	6	62.0
	night	6	41.0
2430A	day	6	66.0
	night	6	35.0
2431A	day	6	57.5
	night	6	36.5
2432A	day	6	135.5
	night	6	87.0
2433A	day	6	140.5
	night	6	60.0
2434A	day	6	134.0
	night	6	66.5
2435A	day	6	133.0
	night	6	66.5
2436A	day	6	72.0
	night	6	55.0
2437A	day	6	61.0
	night	6	56.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2439A	day	6	142.0
	night	6	73.0
2440A	day	6	149.5
	night	6	63.0
2441A	day	6	140.5
	night	6	71.0
2443A	day	6	68.5
	night	6	58.5
2444A	day	6	99.5
	night	6	66.0
2446A	day	4	68.0
	night	6	55.5
2447A	day	4	45.5
	night	6	47.0
2448A	day	6	66.0
	night	6	45.0
2449A	day	4	78.5
	night	6	43.5
2451A	day	6	100.0
	night	6	56.0
2452A	day	4	80.0
	night	6	51.5
2453A	day	6	95.5
	night	6	55.5
2456A	day	6	51.5
	night	6	40.0
2457A	day	6	59.5
	night	6	39.0
2458A	day	6	55.0
	night	6	41.5
2459A	day	6	56.5
	night	6	41.5
2460A	day	6	56.5
	night	6	46.0
2461A	day	6	53.0
	night	6	39.5
2462A	day	6	43.5
	night	6	18.5
2463A	day	6	43.5
	night	6	30.0
2464A	day	6	48.5
	night	5	33.0
2465A	day	6	54.5
	night	6	22.5
2466A	day	6	44.0
	night	6	29.5
2467A	day	6	50.0
	night	6	40.5
2468A	day	3	53.0
	night	6	53.5
2469A	day	6	54.0
	night	6	63.5
2470A	day	6	54.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2470A	night	6	44.0
2471A	day	6	49.5
	night	6	46.0
2472A	day	6	47.5
	night	6	35.0
2473A	day	6	32.0
	night	6	25.5
2474A	day	6	36.5
	night	6	32.0
2475A	day	6	26.5
	night	6	26.5
2476A	day	6	32.0
	night	6	32.0
2477A	day	6	40.5
	night	6	30.0
2478A	day	6	32.0
	night	6	23.0
2479A	day	5	43.0
	night	6	24.5
2480A	day	5	30.0
	night	6	20.5
2481A	day	6	34.0
	night	6	23.5
2482A	day	6	27.5
	night	6	19.0
2483A	day	6	36.5
	night	6	32.5
2484A	day	6	40.5
	night	6	31.5
2485A	day	5	43.0
	night	6	42.5
2486A	day	6	35.0
	night	6	30.5
2487A	day	5	69.0
	night	6	28.5
2488A	day	4	54.0
	night	6	49.5
2489A	day	6	54.5
	night	6	43.5
2490A	day	6	56.0
	night	6	35.5
2491A	day	5	42.0
	night	6	36.0
2495A	day	6	30.5
	night	6	30.0
2496A	day	2	27.0
	night	6	21.0
2497A	day	6	28.0
	night	6	26.5
2498A	day	6	27.0
	night	6	23.5
2499A	day	6	23.5
	night	6	33.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2500A	day	6	24.0
	night	6	36.5
2501A	day	4	20.0
	night	6	33.0
2502A	day	6	31.5
	night	5	22.0
2503A	day	6	21.5
	night	6	29.0
2504A	day	6	49.0
	night	6	54.0
2505A	day	6	27.0
	night	6	14.5
2506A	day	6	28.5
	night	6	15.0
2507A	day	6	27.0
	night	6	16.5
2508A	day	6	25.5
	night	6	17.0
2509A	day	5	29.0
	night	6	25.0
2510A	day	6	27.0
	night	6	25.5
2511A	day	6	28.0
	night	6	32.5
2512A	day	6	30.0
	night	6	22.5
2513A	day	6	30.5
	night	6	23.0
2514A	day	6	30.5
	night	6	21.0
2515A	day	6	29.5
	night	6	20.0
2516A	day	4	24.0
	night	6	10.0
2517A	day	4	28.0
	night	6	22.5
2518A	day	6	34.0
	night	6	25.0
2520A	day	6	42.5
	night	6	18.5
2521A	day	6	27.5
	night	6	26.0
2522A	day	6	24.0
	night	6	25.5
2523A	day	6	56.5
	night	6	59.5
2524A	day	6	67.0
	night	6	73.5
2526A	day	5	61.0
	night	6	63.5
2527A	day	6	46.0
	night	6	20.5
2528A	day	6	44.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2528A	night	6	23.0
2529A	day	6	38.0
	night	6	24.0
2530A	day	6	41.5
	night	6	25.0
2531A	day	6	60.5
	night	6	39.0
2532A	day	6	54.5
	night	6	45.5
2533A	day	6	57.5
	night	6	43.0
2534A	day	5	50.0
	night	6	41.0
2535A	day	6	63.0
	night	6	56.0
2536A	day	5	60.0
	night	6	61.0
2537A	day	5	57.0
	night	6	59.5
2538A	day	6	58.0
	night	6	57.0
2539A	day	6	48.0
	night	6	52.5
2540A	day	4	54.5
	night	6	58.5
2544A	day	5	51.0
	night	6	40.0
2545A	day	6	39.5
	night	6	35.0
2547A	day	6	44.0
	night	6	36.0
2548A	day	6	63.0
	night	6	39.5
2549A	day	6	66.0
	night	6	36.0
2550A	day	6	70.0
	night	6	32.5
2551A	day	6	60.5
	night	6	28.0
2552A	day	6	64.5
	night	6	40.0
2554A	day	6	56.0
	night	6	58.5
2555A	day	4	53.0
	night	6	54.0
2556A	day	6	51.5
	night	6	53.5
2561A	day	6	43.0
	night	6	45.0
2562A	day	6	50.5
	night	6	51.0
2563A	day	5	59.0
	night	6	54.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2564A	day	6	54.0
	night	6	51.5
2565A	day	6	55.5
	night	6	55.5
2566A	day	6	55.5
	night	6	29.0
2568A	day	4	26.5
	night	6	31.5
2570A	day	6	61.5
	night	6	29.5
2571A	day	6	49.5
	night	6	36.0
2572A	day	5	54.0
	night	6	39.5
2573A	day	3	53.0
	night	6	46.5
2574A	day	6	52.5
	night	6	43.0
2575A	day	6	53.0
	night	6	49.0
2577A	day	6	29.5
	night	6	30.5
2578A	day	6	39.5
	night	6	29.5
2579A	day	6	26.5
	night	6	30.0
2580A	day	4	32.5
	night	6	32.5
2587A	day	6	28.0
	night	6	30.0
2588A	day	5	27.0
	night	6	30.0
2589A	day	6	25.0
	night	6	31.5
2590A	day	6	36.0
	night	6	34.0
2591A	day	6	31.0
	night	6	27.0
2593A	day	5	44.0
	night	6	27.5
2594A	day	5	61.0
	night	6	44.5
2595A	day	6	59.0
	night	6	48.5
2596A	day	5	54.0
	night	6	49.5
2597A	day	6	54.0
	night	6	45.0
2599A	day	6	50.0
	night	6	35.0
2600A	day	6	34.0
	night	6	30.0
2601A	day	3	70.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2601A	night	4	66.5
2602A	day	6	58.0
	night	6	62.5
2603A	day	6	54.5
	night	6	63.5
2604A	day	3	57.0
	night	6	64.5
2622A	day	6	34.0
	night	6	17.0
2624A	day	6	34.5
	night	6	34.0
2625A	day	6	36.5
	night	6	35.5
2626A	day	5	31.0
	night	6	34.0
2628A	day	6	29.5
	night	6	26.5
2630A	day	6	32.0
	night	6	25.5
2632A	day	6	37.5
	night	6	38.0
2633A	day	6	37.5
	night	6	36.5
2634A	day	6	63.5
	night	6	49.0
2635A	day	6	61.5
	night	6	61.5
2636A	day	6	61.5
	night	6	59.0
2637A	day	5	65.0
	night	6	60.0
2638A	day	6	36.0
	night	6	72.5
2639A	day	6	45.5
	night	6	74.5
2640A	day	5	47.0
	night	6	78.5
2641A	day	6	43.0
	night	6	67.0
2642A	day	6	64.0
	night	6	20.0
2643A	day	5	57.0
	night	6	25.0
2644A	day	6	55.0
	night	6	25.5
2645A	day	6	93.5
	night	6	77.0
2647A	day	4	83.0
	night	6	143.0
2648A	day	5	110.0
	night	6	128.0
2650A	day	6	67.5
	night	6	71.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2651A	day	6	72.0
	night	6	73.5
2652A	day	5	60.0
	night	6	94.5
2654A	day	6	63.5
	night	6	76.5
2655A	day	6	70.0
	night	6	84.5
2656A	day	6	108.5
	night	6	127.0
2657A	day	6	110.0
	night	6	135.5
2658A	day	5	89.0
	night	6	79.5
2659A	day	2	80.0
	night	6	69.5
2661A	day	6	111.0
	night	6	121.0
2662A	day	6	115.0
	night	6	108.0
2663A	day	6	69.0
	night	6	75.0
2664A	day	5	64.0
	night	6	71.0
2667A	day	6	81.5
	night	6	103.5
2668A	day	6	77.0
	night	6	102.0
2673A	day	4	47.0
	night	6	58.0
2674A	day	6	62.0
	night	6	61.5
2675A	day	6	30.5
	night	2	22.0
2676A	day	6	59.0
	night	4	58.0
2677A	day	6	60.5
	night	6	70.0
2679A	day	6	67.0
	night	6	65.5
2682A	day	6	82.0
	night	6	78.0
2683A	day	6	105.0
	night	6	133.5
2684A	day	6	77.5
	night	6	119.0
2685A	day	6	75.0
	night	6	128.5
2693A	day	5	63.0
	night	2	65.0
2694A	day	4	56.5
	night	6	52.5
2695A	day	6	173.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2695A	night	6	179.5
2696A	day	6	169.5
	night	6	187.5
2697A	day	6	356.0
	night	6	378.0
2698A	day	6	433.0
	night	6	444.5
2699A	day	6	401.0
	night	6	390.5
2708A	day	6	25.0
	night	6	25.0
2709A	day	6	55.5
	night	6	48.5
2710A	day	3	50.0
	night	5	47.0
2711A	day	3	63.0
	night	6	50.5
2835A	day	5	59.0
	night	6	49.0
2842A	day	6	64.0
	night	6	55.5
2845A	day	6	43.0
	night	6	66.5
2846A	day	6	26.0
	night	6	26.0
2858A	day	6	71.5
	night	6	139.5
2859A	day	6	66.0
	night	6	72.0
2860A	day	3	65.0
	night	6	76.0
2862A	day	5	54.0
	night	6	80.0
2865A	day	6	64.5
	night	6	97.5
2867A	day	6	62.5
	night	6	81.5
2868A	day	5	31.0
	night	6	53.0
2869A	day	6	76.0
	night	6	64.5
2870A	day	6	76.5
	night	6	64.0
2871A	day	4	64.0
	night	6	45.5
2872A	day	6	64.0
	night	6	68.0
2873A	day	4	70.0
	night	6	74.0
2875A	day	6	111.0
	night	6	70.0
2877A	day	4	59.0
	night	4	139.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
2878A	day	5	68.0
	night	6	102.0
2880A	day	4	58.5
	night	6	52.5
2881A	day	6	31.5
	night	6	27.5
2882A	day	6	58.5
	night	6	58.5
2883A	day	6	64.0
	night	6	56.5
2884A	day	6	85.5
	night	6	70.5
2885A	day	6	76.5
	night	6	87.5
2894A	day	6	127.0
	night	6	69.0
2897A	day	6	40.0
	night	6	45.5
2900A	day	6	37.0
	night	6	52.0
2902A	day	6	47.0
	night	6	36.0
2907A	day	6	63.5
	night	6	70.0
2914A	day	6	62.5
	night	6	64.0
2919A	day	6	72.5
	night	6	73.0
2920A	day	6	66.0
	night	6	59.0
2921A	day	6	57.5
	night	6	69.5
2922A	day	5	68.0
	night	6	78.0
2924A	day	6	51.0
	night	6	58.5
2925A	day	5	48.0
	night	6	66.0
2926A	day	6	52.0
	night	6	65.0
2929A	day	4	99.0
	night	6	54.0
2996A	day	4	77.0
	night	6	67.0
2997A	day	6	76.5
	night	6	67.5
3000A	day	6	82.5
	night	6	58.5
3002A	day	6	61.5
	night	6	68.5
3003A	day	3	61.0
	night	4	72.5
3004A	day	6	109.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3004A	night	6	60.0
3005A	day	5	92.0
	night	6	74.5
3006A	day	5	115.0
	night	6	94.0
3007A	day	6	76.0
	night	6	68.0
3008A	day	5	74.0
	night	6	57.5
3009A	day	6	86.5
	night	6	62.0
3010A	day	6	65.0
	night	6	75.0
3012A	day	6	125.0
	night	6	70.5
3014A	day	5	46.0
	night	6	51.5
3015A	day	6	46.0
	night	6	39.5
3016A	day	6	40.0
	night	6	46.0
3018A	day	6	57.5
	night	6	79.5
3020A	day	2	63.0
	night	6	86.0
3021A	day	4	83.5
	night	6	81.5
3025A	day	6	28.0
	night	6	15.5
3026A	day	6	36.5
	night	6	63.5
3027A	day	6	57.0
	night	6	55.0
3028A	day	6	55.0
	night	6	49.5
3033A	day	6	64.5
	night	6	40.0
3034A	day	6	44.5
	night	6	31.0
3035A	day	6	37.0
	night	6	33.5
3036A	day	5	58.0
	night	6	95.0
3039A	day	6	122.0
	night	6	144.5
3045A	day	6	103.5
	night	6	94.5
3046A	day	6	60.0
	night	6	46.0
3048A	day	5	40.0
	night	6	30.5
3051A	day	6	65.0
	night	5	83.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3054A	day	6	66.0
	night	6	109.5
3055A	day	4	56.0
	night	6	67.5
3057A	day	6	42.5
	night	6	87.0
3058A	day	5	37.0
	night	6	23.5
3059A	day	6	63.0
	night	6	100.5
3061A	day	5	32.0
	night	6	29.5
3064A	day	6	65.0
	night	6	94.0
3065A	day	4	55.5
	night	6	28.5
3066A	day	6	77.0
	night	6	119.5
3109A	day	6	37.5
	night	6	15.0
3123A	day	6	25.5
	night	6	27.0
3124A	day	2	32.0
	night	6	26.0
3125A	day	6	24.5
	night	4	37.5
3128A	day	4	38.0
	night	6	33.5
3131A	day	5	59.0
	night	6	67.5
3132A	day	6	33.0
	night	6	66.5
3133A	day	4	57.0
	night	6	52.0
3134A	day	6	76.0
	night	6	93.0
3136A	day	6	51.0
	night	6	48.0
3137A	day	6	52.0
	night	6	47.0
3138A	day	6	54.5
	night	6	32.5
3139A	day	6	59.0
	night	6	38.5
3140A	day	6	54.0
	night	6	33.5
3141A	day	6	86.0
	night	6	99.5
3147A	day	5	96.0
	night	6	113.5
3148A	day	6	51.0
	night	6	50.0
3149A	day	6	58.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3149A	night	6	56.5
3151A	day	6	50.0
	night	6	35.5
3153A	day	5	72.0
	night	6	52.0
3164A	day	6	86.0
	night	6	61.0
3165A	day	4	138.5
	night	6	149.0
3169A	day	6	59.0
	night	6	91.0
3170A	day	6	62.0
	night	6	81.0
3171A	day	6	113.5
	night	6	94.0
3173A	day	6	76.5
	night	6	66.0
3178A	day	4	50.0
	night	6	93.0
3179A	day	6	60.0
	night	6	52.5
3182A	day	5	59.0
	night	6	60.0
3183A	day	6	60.5
	night	6	61.5
3186A	day	6	87.5
	night	6	82.5
3187A	day	6	113.0
	night	6	74.5
3188A	day	6	61.5
	night	6	87.5
3190A	day	6	56.5
	night	6	60.5
3191A	day	6	77.5
	night	6	64.0
3192A	day	6	33.0
	night	6	27.0
3194A	day	6	78.0
	night	6	52.0
3195A	day	6	102.5
	night	6	63.0
3200A	day	6	75.0
	night	6	118.0
3201A	day	6	58.0
	night	6	100.5
3204A	day	4	118.5
	night	6	121.5
3206A	day	2	71.5
	night	5	73.0
3207A	day	6	91.5
	night	6	41.5
3208A	day	6	46.5
	night	6	87.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3209A	day	6	41.5
	night	6	30.0
3210A	day	6	85.5
	night	6	123.5
3216A	day	6	42.5
	night	6	65.0
3237A	day	6	58.0
	night	6	61.5
3239A	day	6	40.5
	night	6	46.0
3241A	day	6	82.0
	night	6	76.0
3242A	day	3	104.0
	night	4	76.5
3247A	day	5	75.0
	night	6	74.5
3248A	day	6	68.0
	night	6	60.0
3265A	day	6	73.5
	night	6	63.0
3266A	day	6	75.0
	night	6	49.0
3268A	day	6	68.0
	night	6	68.0
3269A	day	6	75.5
	night	6	62.5
3270A	day	6	70.5
	night	6	64.0
3271A	day	6	75.0
	night	6	66.5
3272A	day	6	75.0
	night	6	69.0
3273A	day	6	75.0
	night	6	62.0
3274A	day	6	70.5
	night	6	58.5
3281A	day	6	59.5
	night	6	74.0
3282A	day	6	55.5
	night	6	54.0
3283A	day	5	30.0
	night	6	50.0
3284A	day	6	40.5
	night	5	54.0
3285A	day	6	47.5
	night	6	29.0
3286A	day	6	31.0
	night	6	26.0
3287A	day	6	72.0
	night	6	65.5
3288A	day	6	99.5
	night	6	85.0
3289A	day	6	63.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3289A	night	6	64.0
3290A	day	6	63.5
	night	6	69.0
3291A	day	6	81.0
	night	6	68.5
3293A	day	6	90.0
	night	6	57.5
3294A	day	6	79.5
	night	6	72.0
3295A	day	4	87.5
	night	6	67.0
3298A	day	6	27.5
	night	6	19.5
3299A	day	6	28.0
	night	6	25.0
3300A	day	6	26.0
	night	6	31.5
3301A	day	3	30.0
	night	2	34.5
3302A	day	6	26.5
	night	6	30.0
3303A	day	6	22.0
	night	6	41.0
3304A	day	6	24.5
	night	6	45.0
3305A	day	6	31.0
	night	6	30.0
3306A	day	6	30.0
	night	6	36.0
3307A	day	4	23.5
	night	6	40.0
3308A	day	6	25.0
	night	6	34.0
3311A	day	6	29.5
	night	6	41.5
3313A	day	6	26.0
	night	6	36.0
3314A	day	6	30.0
	night	6	47.0
3315A	day	4	34.0
	night	6	17.0
3317A	day	5	22.0
	night	6	38.0
3318A	day	6	29.5
	night	6	17.5
3319A	day	5	23.0
	night	6	58.0
3320A	day	4	44.5
	night	6	64.0
3323A	day	6	62.5
	night	6	57.0
3324A	day	6	76.0
	night	6	145.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3325A	day	6	67.0
	night	6	75.0
3326A	day	5	75.0
	night	6	101.5
3327A	day	6	71.5
	night	6	119.0
3328A	day	6	83.5
	night	6	63.5
3329A	day	5	137.0
	night	6	67.0
3330A	day	6	121.0
	night	6	81.5
3331A	day	5	93.0
	night	6	44.0
3332A	day	6	123.5
	night	6	96.0
3333A	day	4	56.0
	night	6	52.5
3334A	day	6	64.5
	night	6	55.5
3335A	day	6	67.5
	night	6	97.0
3336A	day	6	57.5
	night	6	87.5
3337A	day	6	81.5
	night	5	105.0
3338A	day	6	80.5
	night	6	94.0
3339A	day	6	114.5
	night	6	53.5
3340A	day	6	78.0
	night	6	117.5
3341A	day	6	91.5
	night	6	134.5
3342A	day	6	29.0
	night	6	44.5
3343A	day	4	27.5
	night	6	26.0
3344A	day	6	32.5
	night	6	29.0
3345A	day	6	30.5
	night	6	38.0
3346A	day	5	29.0
	night	6	24.0
3347A	day	6	37.0
	night	6	34.5
3348A	day	6	38.0
	night	6	28.0
3349A	day	6	47.0
	night	6	33.0
3350A	day	3	43.0
	night	6	55.0
3351A	day	6	37.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3351A	night	6	29.5
3352A	day	6	44.5
	night	6	38.5
3353A	day	6	33.0
	night	6	23.5
3354A	day	6	32.0
	night	6	27.5
3355A	day	6	35.0
	night	6	31.5
3356A	day	6	37.0
	night	6	46.5
3357A	day	6	53.0
	night	6	45.5
3359A	day	5	56.0
	night	6	49.0
3360A	day	6	57.0
	night	6	46.0
3361A	day	6	58.0
	night	6	60.0
3362A	day	6	69.5
	night	6	81.5
3363A	day	6	61.0
	night	6	126.5
3364A	day	5	85.0
	night	6	75.0
3365A	day	6	56.5
	night	6	81.0
3366A	day	3	31.0
	night	6	89.5
3368A	day	4	68.5
	night	6	108.0
3370A	day	6	90.5
	night	6	74.0
3371A	day	6	70.5
	night	6	117.5
3372A	day	6	88.5
	night	6	110.0
3374A	day	6	103.0
	night	6	101.0
3375A	day	6	54.0
	night	6	54.0
3376A	day	5	45.0
	night	5	58.0
3377A	day	6	38.0
	night	6	42.5
3379A	day	6	35.0
	night	6	60.0
3396A	day	6	135.5
	night	6	61.0
3397A	day	6	144.5
	night	6	76.0
3398A	day	6	76.5
	night	6	54.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3399A	day	6	58.5
	night	6	42.5
3400A	day	6	25.5
	night	5	32.0
3401A	day	6	28.5
	night	6	22.0
3402A	day	6	52.5
	night	6	15.5
3403A	day	6	56.0
	night	6	24.0
3404A	day	6	25.5
	night	6	34.5
3405A	day	5	31.0
	night	6	15.0
3406A	day	4	30.0
	night	6	26.0
3407A	day	6	63.5
	night	6	57.0
3408A	day	6	52.0
	night	6	54.5
3409A	day	6	55.0
	night	6	69.0
3410A	day	6	55.0
	night	6	61.5
3411A	day	4	52.5
	night	6	60.5
3413A	day	6	51.0
	night	6	51.5
3415A	day	1	28.0
	night	4	19.0
3416A	day	6	57.0
	night	6	91.0
3417A	day	6	50.0
	night	6	40.5
3418A	day	6	57.0
	night	6	42.5
3419A	day	4	45.0
	night	6	36.5
3421A	day	6	42.5
	night	6	28.5
3422A	day	6	87.0
	night	6	61.5
3423A	day	6	86.5
	night	6	58.0
3424A	day	4	80.5
	night	6	67.5
3425A	day	5	69.0
	night	6	77.0
3426A	day	6	109.5
	night	6	49.5
3427A	day	6	88.0
	night	6	58.0
3428A	day	6	62.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3428A	night	6	71.5
3429A	day	6	85.0
	night	6	72.0
3430A	day	6	77.5
	night	6	98.0
3431A	day	6	71.0
	night	6	74.0
3432A	day	4	80.5
	night	6	63.5
3434A	day	6	81.5
	night	6	55.5
3435A	day	6	68.5
	night	6	64.0
3436A	day	6	136.0
	night	6	95.0
3437A	day	6	127.0
	night	5	72.0
3438A	day	6	63.0
	night	6	47.5
3439A	day	6	51.0
	night	6	41.5
3440A	day	6	67.0
	night	6	57.0
3441A	day	6	50.5
	night	6	50.5
3442A	day	6	48.0
	night	6	44.5
3443A	day	6	26.5
	night	6	14.0
3444A	day	5	44.0
	night	6	72.5
3445A	day	6	29.5
	night	6	12.5
3446A	day	6	26.0
	night	6	24.0
3447A	day	5	39.0
	night	6	48.0
3448A	day	6	28.5
	night	6	36.5
3449A	day	6	34.0
	night	6	38.5
3450A	day	6	22.5
	night	6	34.5
3451A	day	6	25.5
	night	6	18.0
3452A	day	6	25.5
	night	6	39.5
3453A	day	6	26.0
	night	6	38.0
3454A	day	6	24.5
	night	6	28.5
3455A	day	6	25.0
	night	6	14.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3456A	day	5	61.0
	night	6	75.5
3457A	day	6	57.5
	night	6	70.5
3458A	day	6	86.0
	night	6	115.0
3459A	day	5	70.0
	night	6	94.5
3460A	day	6	45.5
	night	6	40.5
3461A	day	6	66.5
	night	6	62.0
3462A	day	6	65.0
	night	6	74.0
3463A	day	5	110.0
	night	6	73.0
3464A	day	6	107.5
	night	6	55.0
3465A	day	3	118.0
	night	5	60.0
3466A	day	6	78.5
	night	6	66.0
3468A	day	6	103.5
	night	6	64.0
3469A	day	6	101.5
	night	6	63.5
3470A	day	5	78.0
	night	6	49.0
3471A	day	6	70.5
	night	6	123.0
3473A	day	6	67.5
	night	6	96.0
3474A	day	5	116.0
	night	6	121.0
3475A	day	6	66.0
	night	5	104.0
3476A	day	6	70.5
	night	6	106.5
3477A	day	6	58.5
	night	6	87.0
3478A	day	6	102.5
	night	6	72.5
3479A	day	6	101.5
	night	6	77.5
3480A	day	5	29.0
	night	6	35.0
3481A	day	6	29.0
	night	6	40.0
3482A	day	6	40.5
	night	6	25.5
3483A	day	6	35.5
	night	6	30.0
3484A	day	6	45.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3484A	night	6	34.0
3485A	day	6	42.5
	night	6	40.0
3486A	day	6	33.5
	night	6	45.0
3487A	day	6	54.5
	night	6	59.0
3488A	day	6	53.0
	night	6	58.0
3489A	day	6	54.5
	night	6	58.5
3490A	day	6	55.0
	night	6	38.5
3491A	day	6	69.0
	night	6	63.0
3492A	day	6	76.5
	night	6	71.5
3494A	day	6	69.5
	night	6	130.0
3495A	day	6	67.5
	night	6	120.5
3496A	day	6	90.5
	night	6	71.5
3498A	day	6	57.0
	night	6	149.5
3500A	day	6	80.5
	night	6	87.5
3501A	day	4	94.5
	night	6	79.0
3502A	day	5	62.0
	night	6	88.0
3503A	day	6	65.5
	night	6	78.5
3504A	day	6	69.0
	night	6	73.5
3505A	day	6	33.5
	night	6	62.5
3507A	day	6	71.5
	night	6	70.0
3511A	day	6	68.5
	night	6	124.0
3513A	day	6	79.0
	night	6	108.5
3514A	day	5	64.0
	night	6	128.0
3515A	day	6	69.0
	night	6	151.5
3516A	day	6	70.0
	night	5	172.0
3520A	day	6	43.5
	night	6	51.5
3521A	day	5	59.0
	night	6	55.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3522A	day	6	74.0
	night	6	128.5
3523A	day	6	40.5
	night	6	66.0
3524A	day	6	133.0
	night	6	127.5
3525A	day	6	155.0
	night	6	153.5
3526A	day	6	40.0
	night	6	46.0
3527A	day	6	61.5
	night	6	58.0
3528A	day	5	55.0
	night	6	55.5
3529A	day	6	56.0
	night	6	52.0
3530A	day	5	46.0
	night	6	59.0
3531A	day	5	29.0
	night	6	21.5
3532A	day	5	27.0
	night	6	28.0
3533A	day	5	30.0
	night	6	27.0
3534A	day	5	25.0
	night	4	21.0
3535A	day	6	36.0
	night	6	20.5
3536A	day	6	38.0
	night	6	20.0
3537A	day	6	30.0
	night	6	32.0
3538A	day	6	46.0
	night	6	25.0
3539A	day	2	42.0
	night	6	29.0
3540A	day	6	27.5
	night	6	24.5
3541A	day	6	22.5
	night	6	28.5
3542A	day	6	19.5
	night	6	27.0
3544A	day	6	68.0
	night	6	65.5
3545A	day	6	61.5
	night	6	27.5
3546A	day	6	106.5
	night	6	46.0
3547A	day	6	147.5
	night	6	67.0
3548A	day	6	79.5
	night	6	54.0
3550A	day	6	58.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3550A	night	6	56.5
3551A	day	6	56.5
	night	6	60.0
3552A	day	6	58.5
	night	6	53.0
3557A	day	6	38.0
	night	6	60.5
3558A	day	6	45.5
	night	6	59.5
3560A	day	6	47.5
	night	6	60.0
3561A	day	6	31.5
	night	6	55.0
3562A	day	6	66.5
	night	6	73.0
3564A	day	4	43.5
	night	6	48.5
3565A	day	6	49.5
	night	6	37.5
3566A	day	6	41.0
	night	6	32.5
3567A	day	6	51.5
	night	6	61.5
3568A	day	5	66.0
	night	6	84.0
3569A	day	6	41.5
	night	6	69.0
3570A	night	4	115.5
3571A	day	6	62.0
	night	6	63.5
3573A	day	6	56.5
	night	6	78.0
3574A	day	6	55.5
	night	6	90.5
3575A	day	6	57.5
	night	6	55.0
3576A	day	4	45.5
	night	5	53.0
3577A	day	5	53.0
	night	5	51.0
3578A	day	6	63.5
	night	6	69.0
3579A	day	4	81.0
	night	6	99.5
3580A	day	6	33.5
	night	6	69.0
3581A	day	6	67.5
	night	6	60.0
3582A	day	6	70.0
	night	6	74.5
3583A	day	6	71.0
	night	6	70.5
3590A	day	6	82.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3590A	night	6	123.5
3591A	day	6	80.0
	night	6	119.5
3592A	day	6	82.0
	night	5	110.0
3593A	day	6	76.5
	night	6	102.0
3594A	day	6	116.0
	night	5	144.0
3596A	day	6	66.5
	night	6	108.5
3597A	day	6	79.5
	night	4	129.0
3598A	day	6	134.0
	night	6	148.0
3599A	day	6	52.0
	night	6	36.5
3600A	day	4	53.0
	night	6	34.5
3601A	day	4	44.0
	night	6	40.0
3604A	day	6	78.0
	night	6	72.0
3605A	day	5	121.0
	night	6	152.5
3610A	day	4	35.5
	night	6	40.5
3612A	day	6	30.0
	night	6	29.0
3614A	day	6	251.0
	night	6	262.0
3615A	day	6	261.0
	night	6	222.0
3616A	day	6	60.0
	night	6	62.5
3617A	day	6	74.5
	night	6	76.5
3618A	day	6	57.5
	night	6	76.0
3619A	day	6	59.5
	night	6	86.0
3620A	day	6	53.5
	night	6	98.5
3621A	day	6	36.0
	night	6	54.5
3622A	day	5	28.0
	night	6	18.0
3623A	day	6	30.5
	night	6	37.5
3624A	day	4	36.5
	night	6	80.5
3625A	day	6	21.5
	night	6	42.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3626A	day	6	27.0
	night	6	26.5
3627A	day	6	26.5
	night	6	22.5
3628A	day	6	23.5
	night	5	34.0
3629A	day	6	51.5
	night	6	62.0
3630A	day	6	50.5
	night	6	63.0
3633A	day	5	96.0
	night	6	62.0
3634A	day	6	119.5
	night	6	79.5
3635A	day	5	113.0
	night	6	135.0
3636A	day	6	92.0
	night	6	147.5
3637A	day	5	38.0
	night	6	38.5
3638A	day	6	60.5
	night	6	52.0
3639A	day	6	58.0
	night	6	54.5
3642A	day	5	142.0
	night	6	68.0
3643A	day	6	60.5
	night	6	73.0
3644A	day	6	53.5
	night	6	105.5
3645A	day	6	60.0
	night	6	115.0
3646A	day	6	56.5
	night	6	126.5
3647A	day	6	118.0
	night	6	103.5
3648A	day	6	64.0
	night	6	61.5
3650A	day	6	83.0
	night	6	77.5
3651A	day	6	149.0
	night	5	144.0
3652A	day	6	71.5
	night	6	104.0
3653A	day	5	85.0
	night	6	41.0
3654A	day	6	79.5
	night	6	57.5
3655A	day	6	69.0
	night	6	44.0
3656A	day	5	55.0
	night	6	72.0
3658A	day	6	61.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3658A	night	6	69.5
3659A	day	6	39.0
	night	6	58.0
3662A	day	6	29.5
	night	5	29.0
3663A	day	6	27.0
	night	6	26.0
3664A	day	6	82.0
	night	6	59.0
3665A	day	6	381.0
	night	6	405.0
3667A	day	5	109.0
	night	6	149.0
3668A	day	6	56.0
	night	6	87.5
3669A	day	5	88.0
	night	6	109.0
3670A	day	6	104.0
	night	6	158.5
3672A	day	6	64.0
	night	6	75.0
3673A	day	6	65.0
	night	6	63.0
3674A	day	6	49.5
	night	6	60.5
3675A	day	6	61.5
	night	6	74.5
3676A	day	6	54.5
	night	6	43.0
3678A	day	6	89.0
	night	6	88.0
3682A	day	6	69.5
	night	6	121.0
3683A	day	5	32.0
	night	6	44.5
3684A	day	6	53.5
	night	6	43.0
3685A	day	6	51.5
	night	6	45.0
3689A	day	5	72.0
	night	6	108.5
3690A	day	5	64.0
	night	6	39.5
3692A	day	6	74.5
	night	6	69.0
3693A	day	6	54.5
	night	6	61.5
3694A	day	6	56.5
	night	6	70.5
3695A	day	6	66.0
	night	6	52.5
3696A	day	6	64.5
	night	6	80.0

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
3697A	day	6	56.5
	night	6	41.5
3698A	day	5	41.0
	night	6	26.5
3699A	day	4	26.0
	night	6	23.5
3701A	day	6	102.5
	night	6	75.0
3703A	day	6	87.0
	night	6	101.5
3706A	day	6	37.0
	night	6	43.5
3707A	day	6	26.5
	night	6	63.5
3708A	day	5	29.0
	night	3	58.0
3709A	day	4	27.0
	night	6	45.0
3710A	day	6	59.5
	night	6	52.5
3713A	day	6	35.5
	night	6	61.0
3715A	day	6	115.5
	night	6	71.0
3719A	day	6	35.0
	night	6	24.0
3726A	day	5	34.0
	night	6	32.0
3728A	day	6	62.5
	night	6	60.0
3734A	day	6	64.0
	night	6	89.0
3860A	day	6	86.0
	night	6	68.5
3861A	day	5	57.0
	night	6	91.5
3866A	day	6	30.0
	night	4	99.5
3981A	day	6	65.0
	night	6	95.5
3994A	day	6	30.5
	night	6	26.5
4002A	day	5	31.0
	night	6	17.5
4004A	day	6	53.0
	night	6	62.0
4006A	day	6	36.5
	night	6	120.0
4008A	day	5	133.0
	night	6	54.5
4010A	day	2	41.0
	night	6	69.0
4011A	day	6	52.5

The MEANS Procedure

Analysis Variable : AQI AQI			
site	DayNight	N Obs	Median
4011A	night	6	41.0
4017A	day	5	103.0
	night	6	81.0
4018A	day	6	70.0
	night	6	111.5
4022A	day	6	60.5
	night	6	65.5
4024A	day	4	60.0
	night	5	71.0
4027A	day	6	435.5
	night	6	417.5
4028A	day	6	64.0
	night	6	144.5
4034A	day	6	60.0
	night	6	59.0
4036A	day	5	63.0
	night	6	67.0